

South Lynches T366 Tanker for Sale

2001 International FES Tanker \$74,500.00

Housed at the South Lynches Scranton Station
White Paint – Very Good Condition
NFPA Blue Triple Stripe on Cab and Body Sides
Rear Lime Green/Blue Chevrons, Front 4" Blue Scotchlite
Completed Fire Truck June 2000 at FES
Vehicle Mileage 18,795
Engine Hours 2122
Certified UPF Water Tank Capacity of 1790 Gallons
Life Time Warranty

Chassis International 4900:

Right Side Vertical Exhaust with Stainless Steel Heat Shield
and Exhaust Pipe
Engine - Motor DTA530E 300 hp.
Exhaust Brake Retarder
Allison MD-3060P Automatic 5 Speed Transmission w/PTO
Reinforced Frame Rail
Front Axle Rating – 13,200 lbs.
Rear Axle Rating – 26,000 lbs.
Rear 31,000 lb. Overload Springs
GVWR – 35,390 lbs.
Vehicle Full Weight with Water, Equipment and Hose
Front 10,000 Rear lbs. 23,500 lbs. Total 33,500 lbs.
Empty Weight with Equipment, Hose without Water
Front 8,700 Rear lbs. 10,400 lbs. Total 19,100 lbs.
Reserve Full Weight - Front 1,300 lbs. Rear 13,100 lbs.

Air Brakes

15" x 4" Front Air Brake
15" x 7" Rear Air Brake Systems
ABS Air Brakes System
13.2 CFM

Tires and Wheels

Front and Rear Stainless Steel Wheel Inserts with
Lug Nut Covers
Front Tires Goodyear Endurance RSA 11R/22.5
Left Front Tire MFG Date 02/2000
Tire Tread Depth 16/32"
Right Front Tire MFG Date 02/2000
Tire Tread depth 14/32"
Rear Tires Goodyear G622 RSD 12R/22.5
Left Rear Outside Tire MFG 09/2018
Tire Tread Depth 22/32"

Tire Info. Cond't.

Left Rear Inside MFG 09/18
Tire Tread Depth 16/32"
Right Rear Outside MFG 09/18
Tire Tread Depth 12/32"
Right Rear Inside MFG 06/18
Tire Tread Depth 20/32
Tire Condition – Good

Chassis Accessories:

Front and Rear Mud Flaps
D/S Custom Fabricated Aluminum Treadplate Step and
Battery Box Covers
O/S Custom Fabricated Treadplate Fuel Tank Cover

Bumper with Bumper Accessories

Chrome Plated Aerodynamic Bumper with Recessed Tow
Hooks
20" Front Bumper Extension
Two (2) Groover 1510 Stuttertone Air Horns Recessed in
Bumper
Stainless steel Guide Sticks on each corner of bumper
Hinged Treadplate Hose Well Cover with Center Latch
Center Hose Well Dimension of 28.3/4" Wide x 16.75"
Front to Back x 10.75" Deep
Hinged Drop-Down Floor in Center Hose Well

Cab Interior:

Deluxe Interior Trim
National Air Ride Driver's Seat
National Adjustable Passenger Seat
Steering Wheel – Tilt and Telescoping
Air Conditioner

Auxiliary Air and 12v Electrical Accessories:

12v Electrical Load Manager
Kussmaul Auto Eject 20 Amp Driver's Extended Bumper
Kussmaul Model 2000 Battery 15 Amp Battery Charger
Kussmaul Auto Air Eject Driver's Extended Bumper

PTO Fire Pump

Darley 500 GPM PTO Rated Fire Pump
Copies for the Last Three (3) Years Pump Test
Available to Verify the Pump will Pump its Rated Capacity
Darley Relief Valve System
Hale SMV 12v Electric Primer
Hale Thermal Overheat Relief Valve
The Hard Suction Hose was Vacuum Tested the Day of
Survey and it Passed

South Lynches T366 Tanker for Sale

Pump Panel Accessories:

Driver's Side Black Vinyl Pump Panel
Class One Veneer Pump Panel Engine Throttle
Class One Enfo III Engine Gauge System to Read Engine RPM, Oil Pressure, Water Temperature and Volts
Innovative Control 4.5" Liquid Filled Primary Pressure and Vacuum Gauges
Innovative Control 2" Liquid Filled Discharge Gauges
Innovative Control 1400SW Water Tank Gauges at D/S pump Panel and Rear of Body
Innovative Control Mini Tank Gauge in Cab
Microphone Speaker Box Recessed in Left Front of Body
Class One Push Pull Pump Panel Controls

Suction Intakes:

One (1) 4.5" Driver's Side Main Suction Intake with Butterfly Valve
One (1) 2.5" Driver's Side Suction Intake Controlled at Valve

Discharges:

Front Bumper Discharge as Previously Mentioned
Two (2) 1-3/4" Crosslays. Each Crosslay Opening is 7" W x 12" H.
Extruded Aluminum Raised Header. Each Crosslay Opening is 7" W x 12" H.
One (1) 2.5" Deck pipe located in Dunnage area with 200 GPM @75 psi nozzle
One (1) 2.5" Driver's side Pump Panel Discharges
One (1) 2.5" Right Side Discharges
One (1) 2.5" Discharge with Push Pull Control under bumper
Rear Belly Electric Booster Reel with 200 ft. of Booster Hose with TFT Pistol Grip 10-125 psi Nozzle

FES Extruded Aluminum Body:

Two (2) Inch Deep Hinged Doors with Lockable D-Ring Handles with Double Cam Latches
Treadplate Door Inner Liner Panel
Everhard Spring loaded Door Closure
Vented Compartments
One (1) Folding Step on each Side Front of Body

Compartment Door Openings:

L-1 27.5 H x 24" D x 32" W
One (1) Adjustable Shelf Two (2)
L-2 27.5" H x 24" D x 26" W

- Spanner and Hydrant Wrench Bracket installed on Inside of Compartment Door
- Fire Extinguisher Bracket installed in Left Rear inside Corner of Compartment

Compartments, cond't.

R-1 27.5 H x 24" D x 32" W
R-2 27.5" H x 24" D x 26" W

- Four (4) Red SCBA Air Pak Clips on Front Compartment Wall

Rear of Body:

Two (2) Beavertail Mounted Vertical Hansen Handrails with Rubber Insert
One (1) Upper Horizontal Handrails with Rubber Insert
Two (2) Full Height Extruded Beavertail Panels Provided
Full Height Treadplate rear Body Panel
Full Height Treadplate Liner in Inside of Beavertail
Full width 8" Deep Intermediate Treadplate Step
Two (2) Suction Hose Running Board Storage Boxes, one (1) each side.
Two (2) Lighted Fixed Steps on Right Rear of Body
Rear Booster Reel with Stainless steel Horizontal Roller and Spools
5" Jet Dump with 5" ABC-X Female Coupler
2.5" Direct Quick Fill with 3" OPW Fitting on DS Rear of Body
Custom Fabricated Treadplate Rub Rails on Body
Stainless Steel Rear Fenderette
Pull Out Step under L-1 Compartment to assist in Removing Suction Hose
D/S Suction Hose Racks on Upper Side of Body
Three (3) Hard Suction Hose Racks with Rubber Hold Downs
One (1) 10 ft Flexible Light Hard Suction Hose
One (1) 24 ft Sections of Flexible Light Hard Suction Hose
Hard Suction Hose Vacuum Test Performed During Inspection and each Year it Passed.

12V Electrical:

Weldon 1010 Incandescent Compartment Lights in Each Compartment
Buzzer on Rear of Body to communicate with Driver.

Warning Lights:

Code 3 XL 56" Wide Halogen Light Bar on cab roof
3x7 Code 3 Halogen Warning Lights on Each Side of Front Extended Bumper
Two (2) 3x7 Code 3 Upgraded to LED Warning Lights on Front Grill
Two (2) 3x7 Code 3 Halogen Warning Intermediate Warning Lights
Two (2) 3x7 Code 3 Halogen Warning Upper Rear Warning Lights on Rear Body Panel below Hose Bed
Two (2) 3x7 Code 3 Halogen Warning Lower Rear Warning Lights above Taillights

South Lynches T366 Tanker for Sale

Warning Lights, cond't.

Two (2) 3x7 Code 3 Halogen Rear Lower Warning
Lights on Side of Rear Step Facing to the Side
Code 3 550 360 Degree Upper Rear Warning Lights
Federal Signal Master Rear Directional Warning Light

ICC Lights:

International DOT Lights on Cab Roof
Incandescent Marker Lights on the Body

Siren

Code 3 Model 3692 Electronic Siren with Concealed
Siren Speaker

Additional Lighting

Two (2) 12v Rear Nightmaster Telescoping Lights on
each Side of Rear Beavertail
12V Ground Lights under:
Two (2) Under Cab steps, one (1) each side
Two (2) Under Rear Tailboard, one (1) each side
One (1) Under Front Extended Bumper

Equipment to be Furnished with Truck

One (1) Alco-lite 12 ft Aluminum Roof Ladder Tested
2/10/2023
Two (2) 8 ft pike poles with Brackets Right side Above
Compartments
Spanner Wrench set on D/S Front Bumper Extension
Two (2) Axes on Rear of Body
One (1) 6 lb. Fiberglass Handle Pickhead Axe with Bracket
One (1) 6 lb. Fiberglass Handle Pickhead Axe with Bracket
Two (2) Ziamatic Choc Blocks under L-1 Compartment
Storz Wrench Set on L2 Compartment Door
Spanner and Hydrant Wrench Set on Left Rear
compartment Door.
20 lb. ABC Extinguisher Bracket inside L2 Compartment
Three (3) 2.5" Tri-loks in L-1 compartment.
Two (2) SL40 Streamlights with 12v Charger in Center Cab
Floor.
Chrome Plated Barell Strainer
Float for Suction Strainer in Slide Out Storage area Under
L1 Compartment.

South Lynchs T366 Tanker for Sale



One (1) 24 ft Section of 4.5" PVC Suction Hose

One (1) 10 ft Section of 4.5" Suction Hose

5" Ames Dump
Valve with 5" ABC-X
Female Coupler

Rear Belly Pan
Booster Reel



South Lynchs T366 Tanker for Sale

L-1 Compartment



L-2 Compartment



R-2



R-1



Alco-lite 12 ft Roof Ladder with Folding Hooks



South Lynches T366 Tanker for Sale

Two (2) 1.75" Crosslays with 200 ft of Hose in Each Opening

Self Draining Running Boards



South Lynches T366 Tanker for Sale

2.5" Front Bumper Discharge with Control Under Front Bumper



Whelen Warning Light with Kussmaul Auto – Eject 110 V inlet ad Kussmaul Auto-Air Eject



Slide Out Float in Stored Position



Slide Out Float for Suction Hose Strainer



Front Hose Well

Dimensions 25.75" W x 16.75" x 10.75" D




Front Hose Well Drop Down Front Hose Well Floor with Double Latches



South Lynces T366 Tanker for Sale

Map Box and Two (2) Streamlight SL-40 Handlights in Center of Cab Floor




Pump Panel Microphone Box Near Pump Panel



Vertical Exhaust



Custom Treadplate Fuel Tank Overlay



South Lynchs T366 Tanker for Sale

Cab Interior Upholstery is in Excellent Condition

National Air Ride Driver's Seat



Mileage 18,799 Engine Hours 2122

IC Controls Interior
Water Tank Level Gauge

Door Adjar
Warning Light

